Annual Returns form for Health Care Facilities / Common Bio-medical Waste Treatment and Disposal Facility (CBWTF)

Health Care Facility / CBWTF Name : Prem Hospital & Research Center

PCB ID : 120210

1	Year	2025
2	Type of Health Care Facility	Bedded Hospital Private
3	Number of Beds	10
4	License Number and Date of Expiry of License	AWB121165 31/03/2029
5	Do you have Captive Treatment Facility ?	○ Yes ◉ No
Quantity of Waste Generated or Disposed in Kg per annum (on monthly average basis)		
6	Yellow Category	0.708
7	Red Category	0.79
8	White Category	0.008
9	Blue Category	0.166
10	General Solid Waste	00
Details of the Storage, Treatment, Transportation, Processing and Disposal Facility		
11	Details of the on-site storage facility	colour code container
12	Treatment Facility	DSN,NEE
13	Quantity of Recyclable Waste sold to Authorized Recyclers after Treatment (in kg / Year)	0
14	Number of Vehicles used for Collection and Transportation of Biomedical Waste	1
15	Details of Incineration Ash and ETP Sludge generated and disposed during the Treatment of waste (in Kg / Year)	0
16	Name of the Common Bio-Medical Waste Treatment Facility Operator through which waste are disposed of	Select Your CBWTF
17	Do you have bio-medical waste management committee ? If yes, minutes of the meetings held during the reporting period	◉ Yes ○ No

Details of Trainings conducted on Bio Medical Waste Management		
18	Number of Trainings conducted on BMW Management	2
19	Number of Personnel Trained	2
20	Number of Personnel Trained at the time of Induction	0
21	Number of Personnel not undergone any Training so far	0
22	Whether standard manual for Training is available ?	(•) Yes ( ) No
23	Any other information	nil
Details of the accident occurred during the year		
24	Number of Accident occurred	0
25	Number of the persons affected	0
26	Remedial Action taken (details if any)	na
27	Any Fatality Occurred , details	nil
28	Are you meeting the standards of air Pollution from the incinerator ? How many times in last year could not met the standards?	(•) Yes ( ) No
29	Details of Continuous Online Emission Monitoring systems installed	NA
30	Liquid waste generated and treatment methods in place . How many times you have not met the standards in a year	0
31	Is the disinfection method or sterilization meeting the log 4 standards ? How many times you have not met the standards in a year ?	(•) Yes ( ) No
32	Any other relevant information	NIL